## Material Safety Data Sheet

#### **1. MATERIAL AND COMPANY IDENTIFICATION**

| Material Name<br>Uses<br>Product Code | ::   | AeroShell Oil Sport Plus 2<br>Oil for two-stroke aircraft piston engines. For further details<br>consult the AeroShell Book on www.shell.com/aviation.<br>001D0384 |
|---------------------------------------|------|--|
| Manufacturer/Supplier                 | :    | <b>Shell Canada Products</b><br>400 - 4th Avenue S.W<br>Calgary AB T2P 0J4<br>Canada   |
| Telephone                             | :    | (+1) 8006611600  |
| Fax                                   | :    | (+1) 4033848345  |
| Emorgonov Tolonhono Nu                | umbo | -  |

#### Emergency Telephone Number

: CHEMTREC (24 hr): (+1) 800-424-9300 CANUTEC (24 hr): (+1) 613-996-6666

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

**Mixture Description** : Highly refined mineral oils and additives.

#### WHMIS Controlled Ingredients

| Chemical Identity          | CAS No.    | Conc. W/W    |
|----------------------------|------------|--------------|
| Calcium alkaryl sulphonate | 70024-72-5 | 1.00- 5.00 % |

The highly refined mineral oil contains <3% (w/w) DMSO-extract, according to IP346.

Refer to Chapter 8 for Occupational Exposure Guidelines.

#### 3. HAZARDS IDENTIFICATION



| WHMIS Class/Description<br>Routes of Exposure |   | Class D2B Other Toxic Effects - Skin Sensitization<br>Skin and eye contact are the primary routes of exposure<br>although exposure may occur following accidental ingestion.   |
|---|---|--|
| Health Hazards                                | : | May cause sensitisation by skin contact. Prolonged or repeated<br>skin contact without proper cleaning can clog the pores of the<br>skin resulting in disorders such as oil acne/folliculitis. Used oil<br>may contain harmful impurities. |
| Signs and Symptoms                            | : | Skin sensitisation (allergic skin reaction) signs and symptoms may include itching and/or a rash. Oil acne/folliculitis signs and  |
|   |   | 1/7  |

Effective Date 07-06-2012

## Material Safety Data Sheet

According to the Controlled Product Regulations

|                              |   | symptoms may include formation of black pustules and spots<br>on the skin of exposed areas. Ingestion may result in nausea,<br>vomiting and/or diarrhoea. |
|------------------------------|---|---|
| Safety Hazards               | : | Not classified as flammable but will burn.  |
| <b>Environmental Hazards</b> | : | Not classified as dangerous for the environment.  |
|                              |   |   |

## 4. FIRST AID MEASURES

| Inhalation          | : No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.   |
|---------------------|--|
| Skin Contact        | <ul> <li>Remove contaminated clothing. Flush exposed area with water<br/>and follow by washing with soap if available. If persistent<br/>irritation occurs, obtain medical attention.</li> </ul> |
| Eye Contact         | <ul> <li>Flush eye with copious quantities of water. If persistent<br/>irritation occurs, obtain medical attention.</li> </ul>   |
| Ingestion           | : In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.   |
| Advice to Physician | : Treat symptomatically.   |

## 5. FIRE FIGHTING MEASURES

Clear fire area of all non-emergency personnel.

| Flash point<br>Upper / lower<br>Flammability or<br>Explosion limits | :   | Typical 65 °C / 149 °F (ASTM D-93 / PMCC)<br>Typical 1 - 10 %(V)(based on mineral oil)  |
|---|-----|---|
| Auto ignition temperature   | :   | > 320 °C / 608 °F   |
| Hazardous Combustion<br>Products and Specific<br>Hazards            | :   | Hazardous combustion products may include: A complex<br>mixture of airborne solid and liquid particulates and gases<br>(smoke). Carbon monoxide. Unidentified organic and inorganic<br>compounds.                             |
| Suitable Extinguishing<br>Media                                     | :   | Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.  |
| Unsuitable Extinguishing<br>Media                                   | :   | Do not use water in a jet.  |
| Protective Equipment for<br>Firefighters                            | :   | Proper protective equipment including breathing apparatus must be worn when approaching a fire in a confined space.   |
| 6. ACCIDENTAL RELEASE MEA   | ASI | JRES  |
| Protective Measures   | :   | Avoid contact with skin and eyes. Use appropriate containment<br>to avoid environmental contamination. Prevent from spreading<br>or entering drains, ditches or rivers by using sand, earth, or<br>other appropriate barriers |

| Clean Up Methods | : | Slippery when spilt. Avoid accidents, clean up immediately.<br>Prevent from spreading by making a barrier with sand, earth or<br>other containment material. Reclaim liquid directly or in an<br>absorbent. Soak up residue with an absorbent such as clay,<br>sand or other suitable material and dispose of properly. |
|------------------|---|---|
|                  |   |   |

AeroShell Oil Sport Plus 2 Version 1.0 Effective Date 07-06-2012 According to the Controlled Product Regulations Local authorities should be advised if significant spillages cannot be contained.

# 7. HANDLING AND STORAGE

Additional Advice

**Material Safety Data Sheet** 

:

| General Precautions    | apours, mists or aerosol<br>contaminated rags or cleatives. Use the information<br>assessment of local circu   | tion if there is risk of inhalation of<br>s. Properly dispose of any<br>aning materials in order to prevent<br>in this data sheet as input to a risk<br>mstances to help determine<br>afe handling, storage and disposal of |
|------------------------|--|---|
| Handling               | apour and/or mists. Whe  | ted contact with skin. Avoid inhaling<br>on handling product in drums, safety<br>and proper handling equipment  |
| Storage                |  | sed and in a cool, well-ventilated<br>ed and closeable containers. Storage<br>/ -4 - 122 °F   |
| Recommended Materials  | For containers or containers or containers or containers of the second s | er linings, use mild steel or high  |
| Unsuitable Materials   | PVC.   |   |
| Additional Information |  | should not be exposed to high possible risk of distortion.  |

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

If the American Conference of Governmental Industrial Hygienists (ACGIH) value is provided on this document, it is provided for information only.

#### **Occupational Exposure Limits**

| Material          | Source | Туре                      | ppm | mg/m3   | Notation |
|-------------------|--------|---------------------------|-----|---------|----------|
| Oil mist, mineral | ACGIH  | TWA(Inhala ble fraction.) |     | 5 mg/m3 |          |

Consult local authorities for acceptable exposure limits within their jurisdiction.

| Exposure Controls<br>Personal Protective<br>Equipment | <ul> <li>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.</li> <li>Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.</li> </ul> |
|---|--|
|   | 3/7  |

Print Date 07-07-2012

**AeroShell Oil Sport Plus 2** Version 1.0

Effective Date 07-06-2012

According to the Controlled Product Regulations

combined particulate/organic gases and vapours [boiling point

| Respiratory Protection | : No respiratory protection is ordinarily required under normal<br>conditions of use. In accordance with good industrial hygiene<br>practices, precautions should be taken to avoid breathing of<br>material. If engineering controls do not maintain airborne<br>concentrations to a level which is adequate to protect worker<br>health, select respiratory protection equipment suitable for the<br>specific conditions of use and meeting relevant legislation.<br>Check with respiratory protective equipment suppliers. Where<br>air-filtering respirators are suitable, select an appropriate<br>combination of mask and filter. Select a filter suitable for |
|------------------------|--|

Material Safety Data Sheet

>65°C(149 °F)]. **Hand Protection** : Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374. US: F739) made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. **Eye Protection** Wear safety glasses or full face shield if splashes are likely to occur. : Skin protection not ordinarily required beyond standard issue **Protective Clothing** work clothes. concentration of automass in the breathing nitoring Mothodo

| Monitoring Methods     | : | Monitoring of the concentration of substances in the breatning<br>zone of workers or in the general workplace may be required to<br>confirm compliance with an OEL and adequacy of exposure<br>controls. For some substances biological monitoring may also<br>be appropriate. |
|------------------------|---|--|
| Environmental Exposure | : | Minimise release to the environment. An environmental  |
| Controls               |   | assessment must be made to ensure compliance with local  |

environmental legislation.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance<br>Odour<br>Odour threshold<br>pH<br>Initial Boiling Point and<br>Boiling Range | <ul> <li>Green. Liquid.</li> <li>Slight hydrocarbon.</li> <li>Data not available</li> <li>Not applicable.</li> <li>&gt; 280 °C / 536 °F estimated value(s)</li> </ul>        |
|--|--|
| Pour point<br>Vapour pressure<br>Specific gravity<br>Density<br>Water solubility           | <ul> <li>Typical -33 °C / -27 °F</li> <li>&lt; 0.5 Pa at 20 °C / 68 °F (estimated value(s))</li> <li>Typical 0.88</li> <li>Typical 880 kg/m3</li> <li>Negligible.</li> </ul> |

Effective Date 07-06-2012

## Material Safety Data Sheet

According to the Controlled Product Regulations

| n-octanol/water partition<br>coefficient (log Pow)   | : > 6 (based on information on similar products)                                |
|--|---|
| Kinematic viscosity                                  | : Typical 78.6 mm2/s at 40 °C / 104 °F<br>Typical 10.3 mm2/s at 100 °C / 212 °F |
| Vapour density (air=1)<br>Evaporation rate (nBuAc=1) | <ul><li>: &gt; 1 (estimated value(s))</li><li>: Data not available</li></ul>    |

## **10. STABILITY AND REACTIVITY**

| Stability<br>Conditions to Avoid<br>Materials to Avoid<br>Hazardous<br>Decomposition Products<br>Hazardous<br>Polymerisation | Stable.<br>Extremes of temperature and direct sunlight.<br>Strong oxidising agents.<br>Hazardous decomposition products are not expected to<br>during normal storage.<br>No | form |
|--|---|------|
| Sensitivity to Mechanical<br>Impact  | No  |      |
| Sensitivity to Static<br>Discharge   | No  |      |

## **11. TOXICOLOGICAL INFORMATION**

| Basis for Assessment                       | <ul> <li>Information given is based on data on the components and the toxicology of similar products.</li> </ul>  |  |
|--|---|--|
| Routes of Exposure                         | <ul> <li>Skin and eye contact are the primary routes of exposure<br/>although exposure may occur following accidental ingestion.</li> </ul>   |  |
| Acute Oral Toxicity                        | : Expected to be of low toxicity: LD50 > 5000 mg/kg , Rat.  |  |
| Acute Dermal Toxicity                      | : Expected to be of low toxicity: LD50 > 5000 mg/kg, Rabbit.  |  |
| Acute Inhalation Toxicity                  | : Not considered to be an inhalation hazard under normal conditions of use.   |  |
| Skin Irritation                            | : Expected to be slightly irritating. Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.   |  |
| Eye Irritation                             | : Expected to be slightly irritating.   |  |
| Respiratory Irritation                     | : Inhalation of vapours or mists may cause irritation.  |  |
| Sensitisation                              | : Expected to be a skin sensitizer.   |  |
| Repeated Dose Toxicity                     | : Not expected to be a hazard.  |  |
| Mutagenicity                               | : Not considered a mutagenic hazard.  |  |
| Carcinogenicity                            | : Product contains mineral oils of types shown to be non-<br>carcinogenic in animal skin-painting studies. Highly refined<br>mineral oils are not classified as carcinogenic by the<br>International Agency for Research on Cancer (IARC). Other<br>components are not known to be associated with carcinogenic<br>effects. |  |
| Reproductive and<br>Developmental Toxicity | : Not expected to be a hazard.  |  |
| Additional Information                     | : Used oils may contain harmful impurities that have<br>accumulated during use. The concentration of such impurities<br>will depend on use and they may present risks to health and   |  |
| 5/7  |   |  |

Effective Date 07-06-2012

According to the Controlled Product Regulations

the environment on disposal. ALL used oil should be handled with caution and skin contact avoided as far as possible.

Continuous contact with used engine oils has caused skin cancer in animal tests.

## 12. ECOLOGICAL INFORMATION

**Material Safety Data Sheet** 

|                             | <ul> <li>been determined specifically for this product. Information given is components and the ecotoxicology of similar products.</li> <li>Poorly soluble mixture.May cause physical fouling of aquatic organisms.Expected to be practically non toxic:LL/EL/IL50 &gt; 100 mg/ILL/EL50 expressed as the nominal amount of product required to prepare aqueous test extract.Mineral oil is not expected to cause any chronic effects to aquatic organisms at concentrations less than 1 mg/I.</li> </ul> |  |
|-----------------------------|--|--|
| Mobility                    | : Liquid under most environmental conditions. Floats on water. If<br>it enters soil, it will adsorb to soil particles and will not be<br>mobile.   |  |
| Persistence/degradability   | : Expected to be not readily biodegradable. Major constituents are expected to be inherently biodegradable, but the product contains components that may persist in the environment.   |  |
| Bioaccumulation             | : Contains components with the potential to bioaccumulate.   |  |
| Other Adverse Effects       | : Product is a mixture of non-volatile components, which are not expected to be released to air in any significant quantities. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.   |  |
| 13. DISPOSAL CONSIDERATIONS |  |  |
| Material Disposal           | : Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses.   |  |
| Container Disposal          | : Dispose in accordance with prevailing regulations, preferably to<br>a recognised collector or contractor. The competence of the<br>collector or contractor should be established beforehand.   |  |
| Local Legislation           | : Disposal should be in accordance with applicable regional, national, and local laws and regulations.   |  |

## 14. TRANSPORT INFORMATION

#### Canadian Road and Rail Shipping Classification

According to the Controlled Product Regulations

#### Material Safety Data Sheet

This product is not regulated under the Canadian Transportation of Dangerous Goods Regulations for transport by road and rail.

#### **15. REGULATORY INFORMATION**

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

#### Inventory Status

| EINECS | : All components |
|--------|------------------|
|        | listed.          |
| TSCA   | : All components |
|        | listed.          |
| DSL    | : All components |
|        | listed.          |

#### **16. OTHER INFORMATION**

| MSDS Version Number<br>MSDS Effective Date | : | 1.0<br>07-06-2012  |
|--|---|--|
| MSDS Revisions                             | : | A vertical bar ( ) in the left margin indicates an amendment from the previous version.  |
| MSDS Regulation                            | : | The content and format of this (M)SDS is in accordance with the Controlled Product Regulations.  |
| MSDS Prepared By                           | ÷ | Shell Product Stewardship; 1-800-661-1600  |
| Uses and Restrictions                      | : | This product must be used, handled and applied in accordance<br>with the requirements of the equipment manufacturer's<br>manuals, bulletins and other documentation.   |
| MSDS Distribution                          | : | The information in this document should be made available to all who may handle the product.   |
| Disclaimer                                 | : | The information contained herein is based on our current<br>knowledge of the underlying data and is intended to describe<br>the product for the purpose of health, safety and environmental<br>requirements only. No warranty or guarantee is expressed or<br>implied regarding the accuracy of these data or the results to<br>be obtained from the use of the product. |